



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Yaks on the Five	Permit # 000488
Address: 4917 Dunsmuir Ave., Dunsmuir, CA	
Permit Holder: Mike Hearn	Permit To Operate: <input checked="" type="radio"/> Valid <input type="radio"/> Not Valid
Phone: 530-678-3517	E-mail: yaksbills@gmail.com
Food Safety Certified Employee:	Expiration Date:

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1 Food Temp.				<p style="text-align: center; font-weight: bold; margin: 0;">ROUTINE INSPECTION CONDUCTED THIS DATE</p> <p>3) Observed bagged coffee, canned tomato paste, pickled and cilantro in container, stored on the floor in coffee storage area, alternative storage area, and walk-in refrigerator, respectively. Store all food 6" off the ground. Correct immediately.</p> <p>11) Observed various bottles that are not labeled stored on the prep table and in the ware-washing area. Ensure all working bottles are labeled to prevent misuse of chemical. Correct immediately.</p> <p>13) Observed a buildup of slime or pink mold in the ice machine. Discard ice and discontinue use of machine until unit has been washed, rinse, and sanitized, according to manufacturers instruction. Correct immediately.</p> <p>14) Observed a high power convection range on the prep table of the food facility. Ensure all new or replaced equipment are approved by the agency, and are ANSI certified or NSF listed. Installation of this unit is required to be used underneath an exhaust hood. Discontinue use of this equipment immediately. If replaced, provide this agency with a manufacturer's cut sheets for pre-approval prior to purchasing.</p> <p>20) Facility does have a food manager certificate accessible during time inspection. Ensure food manager cert is present at facility during next inspection.</p> <p>14, 29, 30) Observed buildup of dirt, dust, and grease on shelving units, walls, floors, and hard to reach places. Maintain food facility is serviceable and clean at all times. Correct immediately.</p> <p>29, 30) Observed damages to flooring throughout the facility. Observed damages to FRP on the walls behind the prep sink and meat slicer prep table. Ensure floors and walls are smooth, easily cleanable, durable, and nonabsorbent. Repair within 90 days.</p>
	2 Prep./ Service				
	3 Storage/ Disp.		X		
	4 Frozen Food				
	5 Pure Food				
	6 Reused Food				
	7 Transportation				
Food Storage	8 Storage Fac.				
	9 Refrig. Units				
	10 Thermometer				
	11 Hazardous Mat.		X		
Uten./Equip.	12 Spoils				
	13 Wash/ Sanitize		X		
	14 Equip. Condition		X		
Employee	15 Utensil Condition		X		
	16 Storage				
	17 Handwashing				
	18 Employee Hygiene				
Water	19 Employee Habits				
	20 Food Cert./ Card		X		
	21 Water				
Waste	22 Cross Con.				
	23 Liquid Waste				
	24 Refuse				
Vermin	25 Rodents/ Insects				
	26 Animal/ Fowl				
Facilities	27 Ventilation				
	28 Doors				
	29 Floors		X		
	30 Walls - Ceilings		X		
	31 Toilet Fac.				
	32 Janitorial Fac.				
Misc.	33 Lighting				
	34 Clothing - Linen				
	35 Signs				
	36 Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site
Received By (Print): Sarah Kerns Received by (Signature): _____ Date: 10/24/2023
REHS (Print): Chalyn Dewey REHS (Signature): _____ Phone: 530-841-2112

Facility Name: Yaks on the Five

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Sarah Kerns

Received by (Signature):

Date:
10/24/2023

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Yaks on the Five

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Sarah Kerns

Received by (Signature):

Date:
10/24/2023

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Yaks on the Five

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Sarah Kerns

Received by (Signature):

Date:
10/24/2023

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112