



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Theory Coffee</b>	Permit #
Address: <b>228 N. Mt. Shasta Blvd., Mount Shasta, CA, 96067</b>	
Permit Holder: <b>Theory Collaborative, LLC</b>	Permit To Operate: <input type="radio"/> Valid <input type="radio"/> Not Valid
Phone: <b>703-943-8220</b>	E-mail: <b>hello@theorycoffee.com</b>
Food Safety Certified Employee: <b>Nicholas Clark</b>	Expiration Date: <b>02/2027</b>

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1				<p style="text-align: center; margin: 0;"><b>PRE-OPENING INSPECTION CONDUCTED THIS DATE</b></p> <p>This facility is conditionally approved to open when the following is completed:</p> <ol style="list-style-type: none"> <li>1) Finish cleaning the facility.</li> <li>2) Install self-closing devices and sweepers on the doors for the restrooms.</li> <li>3) Install indirect drain for keg cooler.</li> <li>4) Remove countertop griddle. This equipment is not permitted to be operated without a Type 1 hood. This facility is currently constructed with a Type 2 hood.</li> <li>5) Remove shipping tape off of equipment.</li> <li>6) Install paper towel dispenser at the handwashing station.</li> <li>7) Provide cut sheets for any equipment that was changed out without pre-approval. If this equipment is not approvable, facility will be required to remove it.</li> <li>8) Obtain any licenses and permits from all required agencies that have jurisdictional oversight of this facility.</li> </ol> <p>Note: This facility made changes to the construction plans after the initial plan check was approved. These changes resulted in a couple arrangements that do not meet the minimum requirements as outlined by the California Retail Food Code. No plans were resubmitted to this office for review. The following was observed:</p> <p>The Hood Ventilation system is a Type 2 hood. This doesn't allow the cooking of any foods that create cooking odors, smoke, steam, grease, heat, and vapors. Do not install any cooking equipment under this hood without approval from this department.</p> <p>The preparation sink does not have the same dimensions as proposed in the original plans. California code requires that the sink have minimally a basin of 18." x 18" x 12" with a drainboard that measures 18" x 18". The installed sink is conditionally approved. In the event an inspector identifies any problems with this sink, the facility will be ordered to replace it with one that meets the minimum specifications.</p>
	2				
	3				
	4				
	5				
	6				
	7				
Food Storage	8				
	9				
	10				
	11				
	12				
Uten./Equip.	13				
	14				
	15				
	16				
Employee	17				
	18				
	19				
	20				
Water	21				
	22				
Waste	23				
	24				
Vermin	25				
	26				
Facilities	27				
	28				
	29				
	30				
	31				
	32				
	33				
Misc.	34				
	35				
	36				

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site
Received By (Print): <b>Sam LaRobardiere</b> Received by (Signature): _____      Date: <b>10/30/2023</b>
REHS (Print): <b>Rick Florendo</b> REHS (Signature): _____      Phone: <b>530-841-2114</b>

**Facility Name:** Theory Coffee

The marked items represent Health Code violations and must be corrected as follows:

[Empty area for listing health code violations and correction details]

Received By (Print): Sam LaRobardiere	Received by (Signature):	Date: 10/30/2023
--	--------------------------	---------------------

REHS (Print): Rick Florendo	REHS (Signature):	Phone: 530-841-2114
--------------------------------	-------------------	------------------------

**Facility Name:** Theory Coffee

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Sam LaRobardiere	Received by (Signature):	Date: 10/30/2023
--	--------------------------	---------------------

REHS (Print): Rick Florendo	REHS (Signature):	Phone: 530-841-2114
--------------------------------	-------------------	------------------------

**Facility Name:** Theory Coffee

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): **Sam LaRobardiere**      Received by (Signature):      Date: **10/30/2023**

REHS (Print): **Rick Florendo**      REHS (Signature):      Phone: **530-841-2114**