



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: El Zagan	Permit # 000218
Address: 1421 N. Main St., Yreka, CA 96097	
Permit Holder: Miriam Villegas	Permit To Operate: <input checked="" type="radio"/> Valid <input type="radio"/> Not Valid
Phone: 530-408-9923	E-mail: elzaguanyreka8@gmail.com
Food Safety Certified Employee: Miriam Villegas	Expiration Date: 03/2024

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1		X		<p style="text-align: center; margin: 0;">ROUTINE INSPECTION CONDUCTED THIS DATE</p> <p>1) Observed numerous cold foods at the deli-prep cooler at 48F. Hold cold foods at 41F or below. Correct immediately.</p> <p>2) Observed improper cooling of cooked rice and meats in the reach-in refrigerator. Ensure food is rapidly cooled after cooking by separating into smaller steel container and is portioned no more than 3" high. Correct immediately.</p> <p>3) Observed a bag of beans and a container of chips stored on the ground in the storage area. Observed boxed frozen meats stored on the ground in the walk-in freezer. Store all foods 6" off the floor. Correct immediately.</p> <p>14) Observed an unapproved new type I exhaust hood, flat top grill, and stove in the facility without submission of a plan check. Any major changes to operation or new equipment requires a plan check to be submitted or preapproved by the health department. Submit a plan check of these equipment to the department within 14 days.</p> <p>15) Observed scoops without handle used to portion from bulk. Utilize a scoop with handle to portion food and store scoop inside the container with handle above the food. Correct immediately.</p> <p>14, 29, 30) Observed excessive amount of buildup of grease, dust, food debris, and/or dirt on the floors, walls, and hard-to-reach places throughout the facility, including utensil shelves. Maintain all surfaces and equipments are in a cleanly manner at all times. Correct immediately. 2ND NOTICE</p> <p>29) Observed 3-compartment sink and prep sink indirectly draining into a floor sink without a 1" air gap. Ensure these pipes are drained into a floor sink with an 1" air gap to prevent discharged waste from backing up into pipes. Correct within 60 days.</p> <p>36) Observed numerous rubbish and unused equipment outside the facility. Remove unused equipment or rubbish from site to prevent harborage of rodents or insects. Correct within 30 days.</p> <p>NOTE: Facility is currently using a flat top grill without a hood to heat up tortilla only. If grease, smoke, excessive heat or order is observed on future inspection, a change in operation will be requested.</p>
	2		X		
	3		X		
	4				
	5				
	6				
	7				
Food Storage	8				
	9				
	10				
	11				
Uten./Equip.	12				
	13				
	14		X		
Employee	15		X		
	16				
	17				
	18				
Water	19				
	20				
	21				
Waste	22				
	23				
Vermin	24				
	25				
Facilities	26				
	27				
	28				
	29		X		
	30		X		
	31				
	32				
Misc.	33				
	34				
	35				
	36		X		

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Luis Villegas	Received by (Signature): _____ Date: 02/28/2024
REHS (Print): Chalyn Dewey	REHS (Signature): _____ Phone: 530-841-2112

Facility Name: El Zagan

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):

Luis Villegas

Received by (Signature):

Date:

02/28/2024

REHS (Print):

Chalyn Dewey

REHS (Signature):

Phone:

530-841-2112

Facility Name: El Zagan

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Luis Villegas

Received by (Signature):

Date:
02/28/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: El Zagan

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Luis Villegas

Received by (Signature):

Date:
02/28/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112