



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Papa Murphy's Pizza</b>	Permit # <b>000366</b>
Address: <b>1818 Ft Jones Rd., Yreka, CA 96097</b>	
Permit Holder: <b>Larry Hodge</b>	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: <b>530-842-0767</b>	E-mail: <b>yrekaca018@gmail.com</b>
Food Safety Certified Employee: <b>Donald O'Conner</b>	Expiration Date: <b>07/2029</b>

		MAJ	OUT	COS	The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1 Food Temp.		X		<p><b>ROUTINE INSPECTION CONDUCTED THIS DATE</b></p> <p>1) Observed numerous prepackaged cold foods at 48F in the self-service display case. Hold cold foods at 41F or below. Correct immediately.</p> <p>1) Observed a take-out salad at 51F in the same display case mentioned above. Hold cold foods at 41F or below. Voluntarily discarded.</p>
	2 Prep./ Service				
	3 Storage/ Disp.				
	4 Frozen Food				
	5 Pure Food				
	6 Reused Food				
	7 Transportation				
Food Storage	8 Storage Fac.				<p>14) Observed the refrigeration unit mentioned above not holding cold foods to temperature. Observed the kick panel at the back of this unit damaged and held together with tape. Tape is not cleanable and/or durable equipment. Remove immediately. Maintain equipment in good repair and fully serviceable at all times. Repair or correct immediately.</p>
	9 Refrig. Units				
	10 Thermometer				
	11 Hazardous Mat.				
	12 Spoils				
Uten./Equip.	13 Wash/ Sanitize				<p>29) Observed the plumbing to the walk-in refrigerator and 3-compartment sink discharging into a mop sink. Ensure the liquid waste of these units discharge indirectly into a floor sink with at least a 1 inch air gap above the flood level rim. Repair or correct within 120 days.</p>
	14 Equip. Condition		X		
	15 Utensil Condition				
Employee	16 Storage				<p>29) Observed damage tiles inside the walk-in refrigerator. Maintain floors as to be smooth, durable, cleanable, and nonporous. Repair or correct within 90 days.</p> <p>29) Observed food, dust, and dirt build-up on the floors and hard-to-reach places throughout the facility, particularly the back storage and prep area. Maintain floors in a cleanly manner at all times. Correct immediately.</p>
	17 Handwashing				
	18 Employee Hygiene				
	19 Employee Habits				
Water	20 Food Cert./ Card				<p>30) Observed numerous ceiling panels repaired, but panels above the walk-in refrigerator remains damaged. Ensure all damaged ceiling panels are replaced or repaired as to be easily cleanable, durable, smooth, and nonabsorbent. Repair or replace within 90 days.</p>
	21 Water				
Waste	22 Cross Con.				<p>NOTE: Issued "Facility Inspection Notice" form.</p>
	23 Liquid Waste				
Vermin	24 Refuse				
	25 Rodents/ Insects				
Facilities	26 Animal/ Fowl				
	27 Ventilation				
	28 Doors				
	29 Floors		X		
	30 Walls - Ceilings		X		
	31 Toilet Fac.				
	32 Janitorial Fac.				
Misc.	33 Lighting				
	34 Clothing - Linen				
	35 Signs				
	36 Misc.				

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site		
Received By (Print): <b>Donald O'Conner</b>	Received by (Signature):	Date: <b>09/26/2024</b>
REHS (Print): <b>Chalyn Dewey</b>	REHS (Signature):	Phone: <b>530-841-2112</b>

**Facility Name:** Papa Murphy's Pizza

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Donald O'Conner

Received by (Signature):

Date:  
09/26/2024

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112

**Facility Name:** Papa Murphy's Pizza

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Donald O'Conner

Received by (Signature):

Date:  
09/26/2024

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112

**Facility Name:** Papa Murphy's Pizza

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Donald O'Conner

Received by (Signature):

Date:  
09/26/2024

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112