



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Wendy's - Yreka	Permit # 001064
Address: 1803 Fort Jones Rd. Yreka, CA 96097	
Permit Holder: Andrew Hennan, Riise Hospitality Group LLC	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: 530-840-9079	E-mail: 14208@riiserg.com
Food Safety Certified Employee: Roxann Reyes	Expiration Date: 01/25/2027

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.		X	<p style="text-align: center; margin: 0;">FOLLOW-UP AND ROUTINE INSPECTION CONDUCTED THIS DATE</p> <p>Facility has fixed the plumbing issue noted on 12/03/2024 complaint inspection report. Both restrooms are fully operable. The following observations were found:</p> <p>23) Observed waste water splashing out of toilet bowl, onto the floor and seat when the toilet flushes in the right restroom. Ensure all waste water discharges into the sewer system and not back into facility floor. Repair or correct within 7 days.</p> <p>1) Observed cold foods (tomatoes, lettuce, sliced cheese) held at deli-prep cooler at 46F -49F. Hold cold foods at 41F or below. Correct immediately.</p> <p>1) Observed sliced cheddar cheese held at deli-cooler at 52F. Hold cold foods at 41F or below. Voluntarily discarded.</p> <p>3) Observed raw eggs stored new to fully cooked eggs, and raw beef patties stored next to bottled water at the walk-in refrigerator. Observed uncooked chicken breast and nuggets stored next to fully cooked chicken meat. Store ready-to-eat/fully cooked food above raw food or on separate shelves. Correct immediately.</p> <p>13) Observed 0ppm QAC in sani-buckets at the prep station and beverage station. Ensure sani-buckets have 200ppm QAC sanitizer solution. Utilize test strips to test disinfectant concentration prior to use and as needed. Corrected during inspection.</p> <p>14) Observed the air curtain turned off at back entrance. Observed the air curtain at drive-thru window non-functional and self-closing window mechanism broken. Ensure air curtains are turned on and fully-functional at all times. Repair or correct within 90 days.</p> <p>14) Observed an insect trap stored above the handwashing station at the food prep area. Install insect devices in locations as to not be over food or utensil handling area, clean equipment, linens, and unwrapped single-use articles. Correct or remove in 30 days.</p>
	2	Prep./ Service			
	3	Storage/ Disp.		X	
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.			
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
Uten./Equip.	12	Spoils			
	13	Wash/ Sanitize	X	X	
	14	Equip. Condition	X		
Employee	15	Utensil Condition			
	16	Storage			
	17	Handwashing			
Water	18	Employee Hygiene			
	19	Employee Habits			
	20	Food Cert./ Card			
Waste	21	Water			
	22	Cross Con.			
Vermin	23	Liquid Waste	X		
	24	Refuse			
Facilities	25	Rodents/ Insects			
	26	Animal/ Fowl			
	27	Ventilation			
	28	Doors			
	29	Floors			
	30	Walls - Ceilings			
Misc.	31	Toilet Fac.			
	32	Janitorial Fac.			
	33	Lighting			
	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Roxann Reyes	Received by (Signature): _____ Date: 12/05/2024
REHS (Print): Chalyn Dewey	REHS (Signature): _____ Phone: 530-841-2112

Facility Name: Wendy's - Yreka

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):

Roxann Reyes

Received by (Signature):

Date:

12/05/2024

REHS (Print):

Chalyn Dewey

REHS (Signature):

Phone:

530-841-2112

Facility Name: Wendy's - Yreka

The marked items represent Health Code violations and must be corrected as follows:

[Empty area for listing health code violations and correction details]

Received By (Print): Roxann Reyes	Received by (Signature):	Date: 12/05/2024
--------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

Facility Name: Wendy's - Yreka

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Roxann Reyes

Received by (Signature):

Date:
12/05/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112