



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Hari Om Shri Ram	Permit # 000253
Address: 531 Chestnut St., Mt. Shasta, CA	
Permit Holder: Pradeep Sharma	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: 530-918-6300	E-mail: hariomshriram01@gmail.com
Food Safety Certified Employee: Pradeep Sharma	Expiration Date: 08/2024

		MAJ	OUT	COS		
					The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/ Temp.	1	Food Temp.		X	X	<p style="text-align: center; margin: 0;">ROUTINE INSPECTION CONDUCTED THIS DATE THIS</p> <p>1) Observed cooked rice at 118F stored in rice cooker next to prep table. Hold hot foods at 135F or above. Rice were reheated to temperature to be hot held in warmer</p> <p>3) Observed a bulk bag of flour opened, uncovered, and stored on the ground in the basement. Move all open packages into main kitchen when open, and cover all foods in storage. Ensure foods are stored at least 6" off the floor. Corrected onsite.</p> <p>3) Observed uncovered foods in the dry storage area. Cover all foods in storage to protect from potential contamination. Correct immediate.</p> <p>14) 2ND NOTICE -Observed bare wood shelves in dry food storage closet. Ensure shelves are finished as to be smooth, durable, nonabsorbent, and easily cleanable. Correct within 30 days.</p> <p>14) Observed the following Household Use Only equipment: 2 Gourmia air fryers, and a Home ice machine. Utilize ANSI certified and commercial equipment in a commercial kitchen. Discontinue use, remove, and replace with certified equipment immediately. Submit manufacturer spec sheets to department for pre-approval prior to purchase and installation.</p> <p>14) 2ND NOTICE - Observed tape used to secure damage gasket to the box freezer furthest from warewashing area. Observed the interior door frame damage, exposing insulation foam. Maintain equipment in good repair, fully operable, and not a source of contamination. Repair or correct within 90 days.</p> <p>20) Food safety certificate has expired. Obtain a valid food safety certificate within 60 days and maintain a copy on-site.</p> <p>25) Observed rodent droppings on the floor and hard-to-reach places in the basement, especially next to water heater area and against adjacent wall. Clean and sanitize and/or obtain professional pest control services. Correct within 7 days.</p> <p>29) Observed food build-up, dust, and dirt on the floors and hard-to-reach places throughout the kitchen. Maintain facility in a clean manner at all times. Wash and clean within 90 days.</p> <p style="text-align: center; margin-top: 10px;">A REINSPECTION FEE WILL BE ASSESSED TO REPEAT NON-COMPLIANCE.</p>
	2	Prep./ Service				
	3	Storage/ Disp.		X		
	4	Frozen Food				
	5	Pure Food				
	6	Reused Food				
	7	Transportation				
Food Storage	8	Storage Fac.				
	9	Refrig. Units				
	10	Thermometer				
	11	Hazardous Mat.				
Uten./Equip.	12	Spoils				
	13	Wash/ Sanitize				
	14	Equip. Condition		X		
Employee	15	Utensil Condition				
	16	Storage				
	17	Handwashing				
	18	Employee Hygiene				
Water	19	Employee Habits				
	20	Food Cert./ Card		X		
	21	Water				
Waste	22	Cross Con.				
	23	Liquid Waste				
Vermin	24	Refuse				
	25	Rodents/ Insects		X		
	26	Animal/ Fowl				
Facilities	27	Ventilation				
	28	Doors				
	29	Floors		X		
	30	Walls - Ceilings				
	31	Toilet Fac.				
	32	Janitorial Fac.				
	33	Lighting				
Misc.	34	Clothing - Linen				
	35	Signs				
	36	Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Venky Nandapurkar	Received by (Signature): _____ Date: 12/06/2024
REHS (Print): Chalyn Dewey	REHS (Signature): _____ Phone: 530-841-2112

Facility Name: Hari Om Shri Ram

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Venky Nandapurkar

Received by (Signature):

Date:
12/06/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Hari Om Shri Ram

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Venky Nandapurkar

Received by (Signature):

Date:
12/06/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Hari Om Shri Ram

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Venky Nandapurkar

Received by (Signature):

Date:
12/06/2024

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112