



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Burger King - Mount Shasta</b>	Permit # <b>000167</b>
Address: <b>410 W. Lake St., Mt. Shasta, CA 96067</b>	
Permit Holder: <b>Ghai Management Services Inc.</b>	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: <b>925-292-8359</b>	E-mail: <b>raul@ghaimanagement.com</b>
Food Safety Certified Employee: <b>Sheri Woods</b>	Expiration Date: <b>06/2028</b>

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.			<p style="text-align: center; font-weight: bold; margin-bottom: 10px;">COMPLAINT AND ROUTINE INSPECTION CONDUCTED ON THIS DATE</p> <p>This department received a complaint today of a strong gaseous smell inside the food preparation area. The following observations were noticed during the inspection:</p> <p>14) Observed a detectable gaseous smell located around the broiler equipment. Observed excessive grease buildup on the equipment. Per PIC, one of the burners are cracked. Maintain equipment in good repair, fully serviceable, and clean. Correct and service equipment immediately.</p> <p>14) 4TH NOTICE - Observed a jam in the pass-thru window self-closing mechanism that is causing 3 inch gap between the window. Employee had to forcible push the windows shut. Maintain equipment in good repair and fully serviceable. Repair within 30 days.</p> <p>29) 5TH NOTICE - Observed excessive grease, dirt, and build-up on the floors throughout the facility in hard to reach places. Observed excessive grease pooling around the edge at the fryer's station. Maintain all floors in a cleanly manner at all times.</p> <p>Reinspection fee is assessed for non-compliance. Future non-compliance will result in additional fees, an administrative hearing, and possible permit revocation.</p>
	2	Prep./ Service			
	3	Storage/ Disp.			
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.			
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
	12	Spoils			
Uten./Equip.	13	Wash/ Sanitize			
	14	Equip. Condition		X	
	15	Utensil Condition			
Employee	16	Storage			
	17	Handwashing			
	18	Employee Hygiene			
	19	Employee Habits			
Water	20	Food Cert./ Card			
	21	Water			
	22	Cross Con.			
Waste	23	Liquid Waste			
	24	Refuse			
Vermin	25	Rodents/ Insects			
	26	Animal/ Fowl			
Facilities	27	Ventilation			
	28	Doors			
	29	Floors		X	
	30	Walls - Ceilings			
	31	Toilet Fac.			
	32	Janitorial Fac.			
	33	Lighting			
Misc.	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site	
Received By (Print): <b>Tina Dewart</b>	Received by (Signature): _____ Date: <b>01/31/2025</b>
REHS (Print): <b>Chalyn Dewey</b>	REHS (Signature): _____ Phone: <b>530-841-2112</b>

**Facility Name:** Burger King - Mount Shasta

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Tina Dewart	Received by (Signature):	Date: 01/31/2025
-------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

**Facility Name:** Burger King - Mount Shasta

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Tina Dewart	Received by (Signature):	Date: 01/31/2025
-------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

**Facility Name:** Burger King - Mount Shasta

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Tina Dewart	Received by (Signature):	Date: 01/31/2025
-------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------